

规格书编号

SPEC NO:

产品规格书 SPECIFICATION

CUSTOMER 客户:_							
PRODUCT 产品:_	CERAMIC FILTER						
MODEL NO 型 号:_	LTWC450H						
PREPARED 编 制:	LEO	CHECKED 审 核:	YORK				
APPROVED 批 准:_	LIUMING	D A T E 日期:	2012-3-6				
客户确认 CUSTOMER RECEIVED:							
审核 CHECKED	批准	APPROVED	日期 DATE				

无锡市好达电子有限公司 Shoulder Electronics Limited



更改历史记录 History Record

更改日期 Date	规格书编号 Spec No	产品型号 Part No	客户产品型号 Customer No	更改内容描述 Modify Content	备注 Remark





1. THIS SPECIFICATION SHALL COVER THE CHARACTERISTICS OF CERAMIC FILTER WITH 450KHz.

2. PART NUMBER: LTWC450H

SPECIFICATION No.: QJ/A25•20•0506

3. ELECTRONICAL SPECIFICATIONS

A. CENTRE FREQUENCY (f.) : $450.0 \text{ KHz} \pm 1.0 \text{KHz}$.

B. BAND WIDTH AT 6 dB : ± 3.0 KHz MIN.(TO 450KHz)

C. BAND WIDTH AT 50 dB : ± 9.0 KHz MAX.(TO 450KHz)

D. STOP BAND ATTENUATION : 50.0 dB MIN.(AT f. ± 100 KHz)

E. RIPPLE : 2.0 dB MAX.

F. INSERTION LOSS : 5.0 dB MAX (AT MINIMUM LOSS POINT)

G. TEMPRATURE COEFFICIENT

OF CENTER FRENQUENCY : ± 50 PPM/°C Max.(-20 TO +80°C)

H. INPUT/OUTPUT IMPEDANCE : $2.0 \text{K} \Omega$

NOTE: A) CENTER FREQUENCY SHALL BE DEFIED AS THE CENTRAL VALUE OF THE BAND WITH AT 6 dB

B) TEMPRATURE COEFFICIENT OF CENTER FREQUENCY SHALL BE DEFINED AS THE AVERAGE OF THE CENTRAL FREQUECY.


4. MEASUREMENT

A. ENVIRONMENTAL CONDITION

MEASUREMENT SHALL BE CARRIED OUT AT THE REFERENCE TEMPERATURE OF $25\,^\circ\text{C}$ $\pm\,2\,^\circ\text{C}$. IT SHALL BE POSSIBLY DONE AT $5\,^\circ\text{C}$ TO $35\,^\circ\text{C}$ UNLESS IT IS QUESTIONABLE.

B. MEASURING CIRCUIT





Rg+R1=R2=Input/Output Impedance


#S.S.G. (STANDARD SIGNAL GENERATION)

R.F.V.M. (RADIO FREQUENCY VOLTAGE METER)

Rg+R1=R2=2.0 K Ω

C<=50 PF

4. DIMENSIONS(mm)



6. ENVIRONMENTAL CHARACTERISTICS

6-1 HIGH TEMPERATURE EXPOSURE

SUBJECT THE FILTER TO $+80\,^{\circ}\text{C}$ FOR 96 HOURS. THEN RELEASE

THE FILTER INTO THE ROOM CONDITIONS FOR



FULFILL THE SPECIFICATIONS IN TABLE 1.

2 HOURS PRIOR TO THE MEASUREMENT. IT SHALL

6-2 MOISTURE

KEEP THE FILTER AT 40°C AND 95% RH FOR 96 HOURS.THEN

RELEASE THE FILTER INTO THE ROOM CONDITIONS FOR

2 HOURS PRIOR TO THE MEASUREMENT. IT SHALL

FULFILL THE SPECIFICATIONS IN TABLE 1.

6-3 LOW TEMPERATURE EXPOSURE

SUBJECT THE FILTER TO $-20\,^{\circ}$ C FOR 96 HOURS. THEN RELEASE THE FILTER INTO THE ROOM CONDITIONS FOR 2 HOURS PRIOR TO THE MEASUREMENT. IT SHALL FULFILL THE SPECIFICATIONS IN TABLE 1.

6-4 TEMPERATURE CYCLING

SUBJECT THE FILTER TO A LOW TEMPERATURE OF -20°C FOR 30 MINUTES. FOLLOWSING BY A HIGH TEMPERATURE OF +85°C FOR 30 MINUTES. THEN RELEASE THE FILTER INTO THE ROOM CONDITIONS FOR 2 HOURS PRIOR TO THE MESUREMENT. IT SHALL MEET THE SPECIFICATIONS IN TABLE 1.

6-5 RESISTANCE TO SOLDER HEAT

DIP THE FILTER TERMINALS NO CLOSER THAN 1.5mm INTO THE SOLDER BATH AT $260\,^\circ\text{C}$ $\pm 10\,^\circ\text{C}$ FOR $10\,\pm 1$ SEC. THEN RELEASE THE FILTER INTO THE ROOM CONDITIONS FOR 2 HOURS. THE FILTER SHALL MEET THE SPECIFICATIONS IN TABLE 1.

6-6 MECHANICAL SHOCK

DROP THE FILTER RANDOMLY ONTO THE CONCRETE FLOOR FROM THE HEIGHT OF 30cm 3 TIMES. THE FILTER SHALL FULFILL THE SPECIFICATIONS IN TABLE 1.

6-7 VIBRATION

SUBJECT THE FILTER TO THE VIBRATION FOR 1 HOUR EACH IN



X,Y AND Z AXLES WITH THE AMPLITUDE OF 1.5 mm AT 10 TO 55 Hz. THE FILTER SHALL FULFILL THE SPECIFICATIONS IN TABLE 1.

6-8 LEAD FATIGUE

6-8-1 PULLING TEST

WEIGHT ALONG WITH THE DIRECTION OF LEAD WITHOUT AN SHOCK 1.5 KG. THE FILTER SHALL SATISFY ALL THE INITIAL CHARACTERISTICS.

6-8-2 BENDING TEST

LEAD SHALL BE SUBJECT TO WITHSTAND AGAINST 90°
BENDING IN THE DERECTION OF THICKNESS. THIS OPERATION
SHALL BE DONE TOWARD BOTH DIRECTION. THE FILTER
SHALL SHOW NO EVIDENCE OF DAMAGE AND SHALL
SATISFY ALL THE INITIAL ELECTRICAL CHARACTERISTICS.

TABLE 1

ITEM	SPECIFICATION		
CENTRE FREQUENCY(f。)	450.0±1.0 KHz		
BAND WIDTH(6 dB)	±3.0 KHz Min(TO 450KHz)		
SELECTIVITY(50dB)	±9.0KHz Max(TO 450KHz)		
STOP BAND ATTENUATION	50.0 dB Min.(AT f。 ±100KHz)		
RIPPLE	2.0 dB Max		
INSERTION LOSS	5.0dB Max		