


Type: ASK/OOK Transmitter Module
Model: CYT15

1. DESCRIPTION:

The CYT15 is an ASK/OOK transmitter module. It is simple to use with excellent performance. The CYT15 is designed specifically for remote-control, wireless mouse and car alarm system operating at 315MHz/433.92MHz.




2. FEATURES:

- The range can be 500m when matching with CY11
- Operation voltage: VCC= 2.6 to 12V;
- Frequency: 315MHz/433.92MHz(custom frequency is available);
- High output power: 15dBm;
- Frequency tolerance: ± 75 KHz;
- Current: 12mA;
- Operating temperature: $-20^{\circ}\text{C} \sim +70^{\circ}\text{C}$
- Bit rate: $< 1.2\text{kbps}$;

3. APPLICATION:

- Remote gate controls
- Remote keyless entry
- Car alarm systems
- Wireless security systems
- Automation systems

4. PIN DEFINITION:



Pin-out as showed in Figure 1 above.

Pin	Pin Name	Pin Definition
1	DATA	Data connected to MCU
2	ANT	Antenna Out
3	VDD	Connect to positive power supply
4	GND	Connect to negative power supply

5. ELECTRICAL CHARACTERISTICS:

Condition: Ta=25°C Vcc=5.0V

Characteristics	Symbol	Condition	Value			Unit
			Min.	Typ.	Max.	
Frequency	Fc		315		433.92	MHz
Modulation Mode			ASK			
Output power		5V/50Ω		12		dBm
Data-rate				1.2		Kbps
Frequency Tolerate	Fc			±75		KHz
Current	IRC				12	mA
Working Voltage	VCC		2.6		12	V
Working Temperature	TC		-20		+70	°C

6. MECHANICAL SIZE: (unit: mm)**Figure 2 CYT15 Dimension**

For more information and assistance, please kindly contact us as follows:

CY WIRELESS TECHNOLOGY LIMITED

Add: 1407, Block C, Tairan Building, 8th Tairan Road, Futian District,

Shenzhen, Guangdong Province, China

Website: www.rficy.com

Email: info@rficy.com